

Hydropad W/Integrated Side Gutter

Model 1UZ214, 8'L X 14'W

Hydropad above ground steel wash rack systems solve SWPPP requirements for vehicle and equipment wash/collection. Design a wash rack for; drive through or drive-in-back-out, overspray containment walls, awnings, remote control stations, various wash water collection and recycling options, vehicle/wheel and undercarriage wash and raised catwalks.

- Modular design to provide any size wash rack required
- Capture wash water and solid wastes
- Promote EPA and SWPPP compliance
- Easy to deploy or re-deploy



Standard

- 2 ton per axle

Options

- 12, 30, ton per axle
- Side & end walls; 4' to 14' H
- Access ramps;
- 61.25"L X 24" W, rated 2 ton
- 119"L X 24"W, rated 2 ton
- 60"L X 24"W, rated 30 ton
- 112"L X 48"W, rated 30 ton
- Rain tarps
- Sump box and pump for Hydropad fluid discharge
- Skid steer drive in clean out tray
- Drag conveyor for automatic solid removal
- Drive in clean out tray for skid steer solids removal

Hydropad wash rack; 14' wide X 40' long, drive thru design. Remote Equipment Modules (REM), on both sides of Hydropad allow for operator tools and start stop where you need them. Example only.....design exactly what you need.

Specifications

Weight Lbs (kg)	2 ton	1542	(699)
	12 ton	2111	(957)
	30 ton	2383	(1081)

Dimensions Ft (m) 8' (2.44)L X 14' (4.27)W X 10" (.25)H
 *8' (2.44)L X 14' (4.27)W X 12" (.3)H

Specifications 2023

Subject to change without notice